

BC-300NM1 BATTERY CHARGER

SPECIFICATIONS

Applications..... Recharge Nickel-metal
hydride batteries in TR-300's
Input 120 volts, 60Hz
Output 8.7VDC @ 100mA
Output Cord 6ft with 2.5mm plug
Approvals UL and CSA

Battery-Specifications

Type Nickel-metal hydride, 1500mAh
Size AA

OPERATIONS


Insert the plug into the jack on the side of the TR-300. Plug the charger into a 110 Volt AC receptacle.

CAUTION

**Do not attempt to charge any alkaline batteries
with this charger.**

Full charge of the battery pack is obtained after 12 to 14 hours.
A full charge will last 15 to 17 hours.

Extensive over-charging may damage or destroy the batteries.
Please ensure the charging time does not exceed 24 hours.



ORDER INFORMATION

BC300NM1, BC300NM1 BATTERY CHARGER w/6NMH
BATT&SLE

Form Number: F01U187385 Rev 02
Date: February 2013

BC-300NM1 BATTERY CHARGER

SPECIFICATIONS

Applications..... Recharge Nickel-metal
hydride batteries in TR-300's
Input 120 volts, 60Hz
Output 8.7VDC @ 100mA
Output Cord 6ft with 2.5mm plug
Approvals UL and CSA

Battery-Specifications

Type Nickel-metal hydride, 1500mAh
Size AA

OPERATIONS


Insert the plug into the jack on the side of the TR-300. Plug the charger into a 110 Volt AC receptacle.

CAUTION

**Do not attempt to charge any alkaline batteries
with this charger.**

Full charge of the battery pack is obtained after 12 to 14 hours.
A full charge will last 15 to 17 hours.

Extensive over-charging may damage or destroy the batteries.
Please ensure the charging time does not exceed 24 hours.



ORDER INFORMATION

BC300NM1, BC300NM1 BATTERY CHARGER w/6NMH
BATT&SLE

Form Number: F01U187385 Rev 02
Date: February 2013